

Polyester Mesh (Monofilament)

Fabric No.	Type of weave	Diameter	Mesh opening	Opening area	Thickness	Ink volume	Available width			
							cm	115	135	160
		μm	μm	%	μm	cm3/m2	inch	45	53	63
100/250-34	PW	34	68	44	51	23				•
110/280-30	PW	30	61	45	45	20				•
120/300-30	PW	30	55	42	45	19				•
120/300-34	PW	34	51	36	51	18				•
130/330-30	PW	30	47	37	45	17				•
140/350-27	PW	27	46	40	40	16				•
140/350-30	PW	30	43	35	45	16				•
150/380-27	PW	27	40	36	40	14				•
165/420-27	PW	27	33	30	40	12				•

 $\label{eq:blank-ordered} Blank-Ordered\ \ product\ \ (Some\ products\ may\ be\ available.\ \ Please\ feel\ free\ to\ contact\ us.)$

[■] Available width (status of production availability)

 ⁼ Regular product (Products are manufactured based on past records, but this does not guarantee future manufacturing conditions.)

[■] Calculations of the mesh opening, opening area, and ink volume are based on the number of mesh and the diameter.

 $[\]blacksquare$ Type of weave indicates PW=plain weaving and TW=twill weaving.

[■] The specifications are standard values and not guaranteed values.

lacktriangledown Please note that these specifications are subject to change without prior notice for improvements.